MGOULASH+ HUNGARIAN PANCREATIC STUDY GROUP

Acute pancreatitis

BETEG	NEVE:
TAJ:	
UH DÁTUMA: Abdominal ultrasonography:	
	 Good, complete (head at least partially visualized, body and neck well visualized, tail:
	partially visualized) o Partially, incomplete (only body or only head visualized)
	 Poor, non-diagnostic
-	Size:
	o Normal
	 Partially enlarged (body AP diameter is over 2 cm and/or head AP diameter is over 2,5
	cm, none exceeds 3 cm)Definitely enlarged (any part over 3 cm AP diameter)
_	Peripancreatic fluid:
	o none
	o present
	Large pseudocyst(s) Size of parison execution fluid on pseudocysts
-	Size of peripancreatic fluid or pseudocyst: cm
-	Pancreas homogeneity:
	 Homogenous
	 Inhomogeneous, includes area(s) of low echogenicity
	 Inhomogeneous, includes calcifications
-	In case of circumscribed low echogenicity area, it's size: cm
-	Wirsung dilatation: YES / NO (yes, diameter: mm)
-	Computer tomography is needed: yes/ no
-	Endoscopic ultrasonography is needed: yes/no
- Other [Cholecystectomy: yes/ no Description:

